



مولانا آزاد نیشنل اردو یونیورسٹی

MAULANA AZAD NATIONAL URDU UNIVERSITY

A Central University established by an Act of Parliament in 1998  
(Accredited "A+" Grade by NAAC)

Notice Inviting Quotation

NIQ No. 03 /MANUU/CD/2023-24/

S.No	Name of the Work	Rectification of Seepage in TFI, MANUU Campus, Gachibowli, Hyderabad
1.	Time Allowed for work completion	30 days
2.	Date of start of Bid Submission	27-05-2023 at 09:00 AM
3.	Last date & Time for submission of Bids	05-06-2023 at 04: 00 PM
4.	EMD	@ 5% on the estimated cost value rounded off to the next thousands i.e., Rs 6,000/-(DD/Banker Cheque in favour of Finance Officer, MANUU, Gachibowli Hyderabad, payable at Hyderabad.)
5.	Performance Guarantee	@ 5% on the work order value rounded of to the next thousands.
6.	Security Deposit	@ 5% on the value of work done rounded of to the next thousands shall be retained for a period of 3 months after the completion of the work.

  
Executive Engineer  
Maulana Azad National Urdu University, Hyd.



Name of the Work : Rectification of seepage in ITI building, MANUU Campus Gachibowli, Hyderabad

- 1) The estimate amount is inclusive of GST.
- 2) Comparative statement for Quoted rates shall be based on rates inclusive of GST.
- 3) The Bidder should intimate GST percentage separately.

SCHEDULE OF QUANTITIES

DSR No.	Description of item	Unit	Qty	Rate		Amount
				In fig	In words	
15.23	Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead.					
15.23.1	For thickness of tiles 10 mm to 25 mm	Sqm	8.5			
15.2	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge.					
15.2.2	Nominal concrete 1:4:8 or leaner mix (i/c equivalent design mix)	Cum	5			
22.5	Providing and laying water proofing treatment in sunken portion of WCs, bathroom etc., by applying cement slurry mixed with water proofing cement compound consisting of applying : (a) First layer of slurry of cement @ 0.488 kg/sqm mixed with water proofing cement compound @ 0.253 kg/ sqm. This layer will be allowed to air cure for 4 hours (b) Second layer of slurry of cement @ 0.242 kg/sqm mixed with water proofing cement compound @ 0.126 kg/sqm. This layer will be allowed to air cure for 4 hours followed with water curing for 48 hours. The rate includes preparation of surface, treatment and sealing of all joints, corners, junctions of pipes and masonry with polymer mixed slurry.	sqm	10.5			
6.13	Half brick masonry with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level.					
6.13.1	Cement mortar 1:3 (1 cement :3 coarse sand)	Sqm	1.20			

*Executive Engineer*  
Maulana Azad National Urdu University, Hyd.  
engineer@manuu.edu.in



4.2	Providing and laying cement concrete in retaining walls, return walls, walls (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchor blocks, plain window sills, fillets, sunken floor etc., up to floor five level, excluding the cost of centering, shuttering and finishing:				
4.2.3A	1:2:4 (1 Cement : 2 coarse sand (zone-III) including manufactured sand derived from Recycled Concrete Aggregate (RCA) upto 25% : 4 graded stone aggregate 20 mm nominal size Recycled Concrete Aggregate (RCA) upto 25%).	Cum	3.75		
4.2.8A	1:5:10 (1 cement : 5 manufactured sand derived from Recycled Concrete Aggregate (RCA) : 10 graded stone aggregate 40mm nominal size Recycled Aggregate (RA))	Cum	1.25		
11.39	Providing and laying rectified Glazed Ceramic floor tiles of size 300x300 mm or more (thickness to be specified by the manufacturer), of 1st quality conforming to IS : 15622, of approved make, in colours White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick cement mortar 1:4 (1 Cement: 4 Coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including grouting the joints with white cement and matching pigments etc., complete.	sqm	8.5		
14.75	Repair to plaster of thickness 12mm to 20 mm in patches of area 2.5sqm and under, including cutting the patch in proper shape, raking out joints and preparing plastering the wall surface with white cement based polymer	Sqm	14.0		

*CEAS*  
26/5/2023  
**Executive Engineer**  
Maulana Azad National Urdu University, Hyd.  
\_engineer@manuu.edu.in



	modified self curing mortar, including disposal of rubbish, all complete as per the direction of Engineer-In-Charge.				
17.13	Providing and fixing white vitreous china water closet squatting pan (Indian type) :				
17.13.2	Orissa pattern W.C. pan of size 580x440 mm	Each	1.0		
17.15	Providing and fixing white vitreous china pedestal type (European type/ wash down type) water closet pan.	Each	1.0		
17.18	Providing and fixing P.V.C. low level flushing cistern with manually controlled device (handle lever) conforming to IS : 7231, with all fittings and fixtures complete.				
17.18.1	10 litre capacity -white colour	Each	2.0		
17.20	Providing and fixing solid plastic seat with lid for pedestal type W.C. pan complete :				
17.20.1	White solid plastic seat with lid	Each	1.0		
17.35	Providing and fixing soil, waste and vent pipes :				
17.35.1	100 mm dia				
17.35.1.3	Hubless centrifugally cast (spun) iron pipes epoxy coated inside & outside	metre	6.0		
17.35.2	75 mm diameter :				
17.35.2.3	Hubless centrifugally cast (spun) iron pipes epoxy coated inside & outside IS:15905	metre	6.0		
17.57A	Providing and fixing shielded coupling for Hubless centrifugally cast iron pipe				
17.57A.1	100 mm dia				
17.57A.1.1	SS 304 grade coupling with EPDM rubber gasket	Each	3.0		
17.57A.2	75 mm dia				
17.57A.2.1	SS 304 grade coupling with EPDM rubber gasket	Each	3.0		
17.38.1.3	door bend -100mm dia	Each	1.0		
17.38.2.3	door bend -75mm dia	Each	1.0		
15.60	Disposal of building rubbish / malba / similar unserviceable, dismantled or waste materials by mechanical means, including	Cum	5		

Gachibowli, Hyderabad – 500 032.

☎ 8333853369 ☎ 040 23120600 Extn. 1360,1361 & 1362

✉ Email:

executiveengineer@mau.ac.in

website: www.mau.ac.in

*Signature*  
26/5/2023.  
**Executive Engineer**  
Maulana Azad National Urdu University, Hyd.  
mau.ac.in



	loading, transporting, unloading to approved municipal dumping ground or as approved by Engineer-in-charge, beyond 50 m initial lead, for all leads including all lifts involved.					
	Less Rebate Offered( if any) _____ Total Amount (Including GST) _____ Total Amount in words _____ Add GST _____ Net Amount (excluding GST) _____ Net Amount in words _____					

Term and conditions:

- 1) The work should be carried out strictly as per the specifications and as per the directions of the Engineer-in-charge.
- 2) Time allowed for completion of work is 30 days from the date of issue of Work Order.
- 3) The rate shall include the cost of all labour, materials and all the operations involved as described in the specification of item and nothing extra shall be paid on whatsoever account.
- 4) The rate should be quoted both in figures and words which should include all taxes etc.
- 5) The rate should be applicable to all heights and leads and transportation of materials and tools etc.
- 6) Defect liability period 6 months from the date of completion of the work
- 7) The payment shall be made as per actual execution and measurement at site after the completion of the work in all aspects and to the satisfactory level.
- 8) The Income tax shall be deducted as per applicable and notified by Govt.of India.
- 9) In case of delay in completion of the contract,LD at 1/2 percent of the contract value per day of delay subject to the maximum of 10% of contract value/work order will be levied without assigning any reason unless extension is obtained in writing from the office on valid ground before completion date.

Copy to :

- 1) The Office of the Registrar,
- 2) Director CIT for uploading in the University website.
- 3) Notice Board.

*Executive Engineer*  
26/5/2023  
**Executive Engineer**  
Maulana Azad National Urdu University, Hyd.