



NOTICE INVITING QUOTATION

Sealed item rate quotations are invited for “ Granite Cladding work at DMMC Directorate of Distance Education in the MANUU Campus Gachibowli, Hyderabad ” to reach the office of the I/c Engineering Section, Room No.16 Ground floor, Admin Building MANUU Gachibowli, Hyderabad

| | | |
|--|---|-------------------------------|
| Notice Inviting Quotation No. | MANUU/ENGG/2024-25/F.224/09 | date 5 th -07-2024 |
| Type of Tender/Form of Contract/ Bidding | Open/ Works Contract/ | |
| Name of Work | For Cladding work, MDMC Directorate of Distance Education in the MANUU Campus Gachibowli, Hyderabad | |
| Date of start of Bid Submission | 05-07-2024 11:00 AM | |
| Last date & Time for submission of Bids | 11-07-2024 11:00 AM | |
| Date & Time of Opening of Bids | 11-07-2024 12:00 Noon | |

Blank quotation form can be downloaded from the website.


I/c Engineering Section
MANUU

SCHEDULE OF QUANTITIES

| Name of Work: | | For Granite Cladding work at DMMC Directorate of Distance Education in the MANUU Campus Gachibowli, Hyderabad | | | |
|---------------|--|---|------|------|--------|
| No: | | MANUU/Engg/2024-25/F / | | | |
| S.No | Description of work | Unit | Qty | Rate | Amount |
| 1 | Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : | Cum | 2 | | |
| 1.1 | 1:5:10 (1 cement : 5 manufactured sand derived from Recycled Concrete Aggregate : 10 graded stone aggregate 40 mm nominal size Recycled Aggregate) | | | | |
| 2 | Reinforced cement concrete work in beams, suspended floors, roofs having slope up to 15° landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases above plinth level up to floor five level, excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3 (1 cement : 1.5 coarse sand(zone-III) : 3 graded stone aggregate 20 mm nominal size). | Cum | 0.25 | | |
| 3 | Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above plinth level. | Kg | 80 | | |
| 3.1 | Thermo-Mechanically Treated bars of grade Fe-500D or more. | | | | |
| 4 | Centering and shuttering including strutting, propping etc. and removal of form for | Sqm | 3 | | |
| 4.1 | Suspended floors, roofs, landings, balconies and access platform | | | | |
| 5 | Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in : | Cum | 1.1 | | |
| 5.1 | Cement mortar 1:4 (1 cement : 4 coarse sand) | | | | |
| 6 | Stone tile work for wall lining upto 10m height with special adhesive over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand), including pointing in white cement with an admixture of pigment to match the stone shade. | Sqm | 15 | | |
| 6.1 | 8mm thick (mirror polished and machine cut edge) | | | | |
| 6.1.1 | Granite stone of any colour and shade | | | | |

| S.No | Description of work | Unit | Qty | Rate | Amount |
|---------------------------------|---|-----------------|-----|------|--------|
| 7 | Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes. | Meter | 10 | | |
| 7.1 | 110 mm diameter | | | | |
| 8 | Constructing brick masonry chamber for underground C.I. inspection chamber and bends with bricks in cement mortar 1:4 (1 cement : 4 coarse sand) C.I. cover with frame (light duty) 455x610 mm internal dimensions, total weight of cover with frame to be not less than 38 kg (weight of cover 23 kg and weight of frame 15 kg), R.C.C. top slab with 1:1.5:3 mix (1 cement : 1.5 coarse sand : 3 graded stone aggregate 20 mm nominal size), foundation concrete 1:5:10 fine sand : 10 graded stone aggregate 40 mm nominal size), inside plastering 12 mm thick with cement mortar 1:3 (1 cement : 3 coarse sand), finished smooth with a floating coat of neat cement on walls and bed concrete etc. complete as per standard design: | each | 1 | | |
| 8.1 | Inside dimensions 455x610 mm and 45 cm deep for single pipe line : | | | | |
| 8.1.1 | With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 | | | | |
| 9 | Providing and fixing stainless steel in English, Hindi and Urdu letters in standard pattern hollow type made with 1.20mm thick stainless steel -ASI grade-304 Jindal or equivalent. Depth of letter as per the site condition. Rate includes buffing and fixing on the wall at any height with necessary nut and bolts (fasteners) complete as per the direction of Engineer-in- Charge. | inch/ Height | 45 | | |
| | Total (in Rs.) | | | | |
| | GST% | | | | |
| | Total Amount (in Rs): | | | | |
| Quoted rates in Words | | | | | |
| Sd/- I/c Engineering Section | | | | | |

Signature of Contractor

Details of the Contractor

| S.No. | Particulars | To be filled by the Contractor |
|-------|--|--------------------------------|
| 1 | Name of the Firm | |
| 2 | Name of the Contractor | |
| 3 | Contractor Address | |
| (a) | Mobile | |
| (b) | E-Mail Id | |
| 4 | Name of the Bank | |
| 5 | Name of the Branch | |
| 6 | Account No.(prefix with zeros, if any as given on the cheque book/passbook) | |
| 7 | IFSC Code of the Branch | |
| 8 | MICR Code | |
| 9 | PAN No. | |
| 10 | GST No. | |
| 11 | State whether Terms & Conditions mentioned in the Quotation are accepted ? Yes/No | |


I/we undertake and confirm that our firm/partnership firm has not been blacklisted by any state/Central Departments/PSUs/Autonomous bodies during its operations. Further, if such information comes to the notice of the University then I/we shall be liable for appropriate action as per the provisions laid down by the University or Govt. of India.

Signature of Contractor

Terms and Conditions

1. The work should be carried out strictly as per the specifications and as per the directions of the I/c Engineering Section.
2. Safety measures as specified in CPWD general conditions of contract should be adopted to protect the labour from every risk specifically while executing the work.
3. Before tendering, the contractor shall inspect site of work on all working days from 09:00 AM to 05:00 PM and shall fully acquaint himself about the conditions prevailing at site, availability of materials in market, availability of ready site and suitable locations for execution of the work involved in achieving the completion of work.
4. The contractor shall at his own expense and risk arrange the storage of materials at site of the work for carrying out of all jobs connected with the completion of the work. The contractor shall have to abide by the regulations of the authorities concerned and the directions of the I/c Engineering Section. If during construction, it becomes necessary to remove or shift the equipment, material, etc, to facilitate execution, the contractor shall carry out the removal of shifting as directed by the I/c Engineering Section and re-shift to its original position and no claim whatsoever, shall be entertained on this account.
5. It shall be deemed that the contractor has satisfied himself as to the nature and location of the work, transport facilities, availability of site, etc. the department will bear no responsibility for lack of such knowledge & the consequences thereof.
6. The I/c Engineering Section shall have full powers for removal of any or all of the materials brought to site by contractor which are not in accordance with the contract specifications or do not conform, in character or quality. In case of default on the part of the contractor in removing rejected materials, the I/c Engineering Section shall be at liberty to have them removed at the risk and cost of the contractor.
7. The work shall be carried out in such a manner so as not to interfere / or adversely / or disturb the functioning of the University and other works being executed by other agencies, if any.
8. Any damage done by the contractor to any existing work or work being executed by other agencies shall be made good by him at his own cost.
9. The contractor shall maintain in good condition all work executed till the completion of entire work entrusted to the contract under this contract.
10. No payment shall be made to the contractor for damage caused by rain, flood and other natural calamities whatsoever during the execution of works and any damage to the work on this account shall have to be made good by the contractor at his own cost.
11. The Contractor shall take instructions from the I/c Engineering Section regarding collections and stacking of materials at site.
12. The Contractor shall be responsible to arrange at his own cost all necessary tools and tackles required for execution of the works including incidental original and maintenance works.
13. The operating cost of contractor's machinery at site i.e. Coolants/ lubricants/ Petrol/ Kerosene Oil/ Mobile Oil/ etc, if any shall be borne by the contractor himself.
14. The University shall not be responsible for any injury partial or permanent or death of any workers at site due to accident or malfunctioning of the equipment or by negligence of the Contractors staff on site.
15. If any damage caused for public conveniences/ services, the same shall have to be repaired instant, failing which necessary recovery shall be make from the bill.
16. If any Building, Road and Channels will be damaged by the Contractor the same will have to repair by the Contractor at his risk and cost, otherwise the complete cost will be recovered as intimated by the I/c Engineering Section.

17. Price should be inclusive of all (transportation up to MANUU, Gachibowli and all other incidental expenditure, if any).
18. Price of the items, GST% should be indicated separately.
19. No advance payment will be made.
20. Verbal quotation or incomplete quotation will be rejected.
21. Any variation in the specification(s) during repair/servicing will be rejected.
22. Time allowed is 15 days and starts from the date of issue of Work Order. In case of delay in completion of the contract, Liquidate damages (LD) at one percent of the contract value per week of delay subject to a maximum of ten percent of contract value shall be levied.
23. The work shall be carried out to the entire satisfaction of the I/c Engineering Section.
24. Payment shall be made on submission of Invoice after satisfactory execution of the work and as per actual measurements
25. The rates quoted are net and nothing extra shall be paid on any account.
26. The tax as applicable shall be deducted from the gross amount of the bill.


I/c Engineering Section
05/07/14
sl

-000-