

NOTICE INVITING QUOTATION

Sealed item rate quotations are invited for "Renovation of Toilets in DDE building at MANUU Campus, Gachibowli, Hyderabad" to reach the office of the I/c Engineering Section Room No 16 Ground floor, Admin Building MANUU Gachibowli, Hyderabad.

Section, Room No.16 Ground floor,	Admin Building MANUU Gaembown, Hyderabad.
Notice Inviting Quotation No.	MANUU/DDE/ODDE/2024-25/F573/20 date %-11-2024
Type of Tender/Form of Contract/ Bidding	Open/ Works Contract/
Name of Work	For Renovation of Toilets in DDE building at MANUU Campus, Gachibowli, Hyderabad
Estimated Amount	Rs 1,52,924.09
Earnest Money Deposit (EMD)	Rs 3,100/- (i.e. 2% of the estimated amount (DD/Bank Guarantee in favour of Finance Officer, MANUU payable at Hyderabad)
Performance Guarantee	5% of the Contract value (DD/Bank Guarantee in favour of Finance Officer, MANUU payable at Hyderabad)
Date of start of Bid Submission	11-11-2024 11:00 AM
Last date & Time for submission of Bids	18-11-2024 11:00 AM

Blank quotation form can be downloaded from the MANUU website.

I/c Engineering Section MANUU

1

SCHEDULE OF QUANTITIES

				001222	1000					
Name of Work: Renovation of		f Toilets in DDE building at MANUU			Ψ	Са	ım	ous,Gachib	owli, Hyderabad	
No: MANUU/ENGG/2024-25/F573/										
DSR/MR No		on of work			Qty		Un	it	Rate	Amount
8.31	Providing and fixing Ist qual conforming to IS: 15622 (thi manufacturer), of approved except burgundy, bottle grapproved by Engineer-in-C steps and dados, over 12 mm 1:3 (1 cement : 3 coarse s cement slurry @ 3.3kg per white cement mixed with complete.			kness to be specified by the nake, in all colours, shades en, black of any size as arge, in skirting, risers of thick bed of cement mortarnd) and jointing with grey sqm, including pointing in igment of matching shade	55		Sq	m		
11.37A	Providing and fixing 1st quality ceramic g conforming to IS: 15622 (thickness to be manufacturer) of approved make in all except burgundy, bottle approved by Engineer-in-Charge in ski steps and dados over 12 mm thick bed of 1:3 (1 cement: 3 coarse sand) and joir cement slurry @ 3.3kg per sqm includ white cement mixed with pigment of a complete.			ekness to be specified by the make in all colours, shades sen, black of any size as arge in skirting, risers of thick bed of cement Mortand) and jointing with grey sqm including pointing in	15		Sq	ım		
13.1	12 mm cen	nent plaster of 1	nix							
13.1.1	1	ent: 4 fine sand			5		Sq	Įm		
13.6				emulsion paint of approved an even shade:	d					
13.60.1	Two or more coats on new work		30		Sc	ηm				
13.62	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade:									
13.62.1		ade with ordina		ork over an under coat of paint of approved brand and	10		Sc	ηm		
13.8	average th manufactu the surface	ickness 1 mm, or rer, over the place even and smooth	of ap aster oth o		20		So	qт		
. 14.8	squatting including at site conecessary	pan (Indian typedismantling of complete with materials, labeled malba, all c	old all our	vitreous china water close along with "S" or "P" tray WC seat and "S" or "P" tray operations including all and disposal of dismantle blete as per the direction of	p ll d					

OSR/MR No	Description of work		Qty	Unit	Rate	Amount
	Orissa pattern W.C Pan of	size 580x440 mm	1	each		
14.82	Dismantling W.C Pan of of dismantled materials directions of Engineering	all sizes including disposal /c malba all complete as per g-in-charge	2	Nos		
15.23	Dismantling tile work in mortar including stacking	floors and roofs laid in cement material within 50 metres lead.				
15.23.1	For thickness of tiles 10 m		70	Sqm		
17.81	single piece, double tra approved brand/make, sh integrated white vitreous litres with dual flushing s fixtures with seat cover, gasket etc including maki	mounted, white vitreous china ps syphonic water closet of ape, size and pattern including china cistern of capacity 10 ystem, including all fittings and cistern fittings, nuts, bolts and ng connection with the existing ll respect as per directions of	1	each		
18.51.1	approved quality conform	brass long body bib cock of ing to IS standards and gms. 15 mm nominal bore	2	each		
18.53.	mixer and geyser points o to IS:8931 15mm nomina		2	each		
18.74	Providing and fixing unpl with PTMT Nuts, collar a colour.	asticised P.V.C. connection pipe nd bush of approved quality and				
18.74.2	15 mm nominal bore with	45 cm length	4	each	1	
17.7.2	mm C.P. brass pillar tap standard pattern, includ brackets, cutting and m require: White Vitreous	ash basin with C.I brackets, 15 ps, 32 mm C.P brass waste of ing painting of fittings and aking good the walls wherever thina Wash basin size 630 x 15 mm C.P brass pillar taps	2	eacl	1	
M.P.	Providing and fixing Control brass health faucet with the direction of Engine	P brass two way valve and CP 1 m pipe all complete as per er-in-charge.	1	eac	h	
					Amount in Rs	
					GST	
				То	tal (incl GST)	
					I/c I	Sd/- Engineering Section

Details of the Contractor

S.No.	Particulars	To be filled by the Contractor				
1	Name of the Firm					
2	Name of the Contractor					
3	Contractor Address					
(a)	Mobile					
(b)	E-Mail Id					
4	Name of the Bank					
5	Name of the Branch					
6	Account No.(prefix with zeros, if any as given on the cheque book/passbook)					
7	IFSC Code of the Branch					
8	MICR Code					
9	PAN No.					
10	GST No.					
11	State whether Terms & Conditions mentioned in the Quotation are accepted? Yes/No					

I/we undertake and confirm that our firm/partnership firm has not been blacklisted by any state/Central Departments/PSUs/Autonomous bodies during its operations. Further, if such information comes to the notice of the University then I/we shall be lable for appropriate action as per the provisions laid down by the University or Govt. of India.

Signature of Contractor

Terms and Conditions

- 1. Safety measures as specified in CPWD general conditions of contract should be adopted to protect the labour from every risk specifically while executing the work.
- 2. Before tendering, the contractor shall inspect site of work on all working days from 09:00 AM to 05:00 PM and shall fully acquaint himself about the conditions prevailing at site, availability of ready site and suitable locations for execution of the work involved in achieving the completion of work.
- 3. The contractor shall at his own expense and risk arrange the storage of materials at site of the work for carrying out of all jobs connected with the completion of the work. The contractor shall have to abide by the regulations of the authorities concerned and the directions of the I/c Engineering Section. If during construction, it becomes necessary to remove or shift the equipment, material, etc, to facilitate execution, the contractor shall carry out the removal of shifting as directed by the I/c Engineering Section and re-shift to its original position and no claim whatsoever, shall be entertained on this account.
- 4. It shall be deemed that the contractor has satisfied himself as to the nature and location of the work, transport facilities, availability of site, etc. the department will bear no responsibility for lack of such knowledge & the consequences thereof.
- 5. The I/c Engineering Section shall have full powers for removal of any or all of the materials brought to site by contractor which are not in accordance with the contract specifications or do not conform, in character or quality. In case of default on the part of the contractor in removing rejected materials, the I/c Engineering Section shall be at liberty to have them removed at the risk and cost of the contractor.
- 6. The work shall be carried out in such a manner so as not to interfere / or adversely / or disturb the functioning of the University and other works being executed by other agencies, if any.
- 7. Any damage done by the contractor to any existing work or work being executed by other agencies shall be made good by him at his own cost.
- 8. The contractor shall maintain in good condition all work executed till the completion of entire work entrusted to the contract under this contract.
- 9. No payment shall be made to the contractor for damage caused by rain, flood and other natural calamities whatsoever during the execution of works and any damage to the work on this account shall have to be made good by the contractor at his own cost.
- 10. The Contractor shall take instructions from the I/c Engineering Section regarding collections and stacking of materials at site.
- 11. The Contractor shall be responsible to arrange at his own cost all necessary tools and tackles required for execution of the works including incidental original and maintenance works.
- 12. The operating cost of contractor's machinery at site i.e. Coolarts/ lubricants/ Petrol/ Kerosene Oil/ Mobile Oil/ etc, if any shall be borne by the contractor himself.
- 13. The University shall not be responsible for any injury partial or permanent or death of any workers at site due to accident or malfunctioning of the equipment or by negligence of the Contractors staff on site.
- 14. If any damage caused for public conveniences/ services, the same shall have to be repaired instant, failing which necessary recovery shall be make from the bill.
- 15. If any Building, Road and Channels will be damaged by the Contractor the same will have to repair by the Contractor at his risk and cost, otherwise the complete cost will be recovered as intimated by the I/c Engineering Section.
- 16. Price should be inclusive of all (transportation up to MANUU, Gachibowli and all other incidental expenditure, if any).
- 17. Price of the items, GST% should be indicated separately.

- 18. No advance payment will be made.
- 19. Verbal quotation or incomplete quotation will be rejected.
- 20. Any variation in the specification(s) during repair/servicing will be rejected.
- 21. Time allowed is 30 days and starts from the date of issue of Work Order. In case of delay in completion of the contract, Liquidate damages (LD) at one percent of the contract value per week of delay subject to a maximum of ten percent of contract value shall be levied.
- 22. The work shall be carried out to the entire satisfaction of the I/c Engineering Section.
- 23. Payment shall be made on submission of Invoice after satisfactory execution of the work and as per actual measurements
- 24. The rates quoted are net and nothing extra shall be paid on any account.
- 25. The tax as applicable shall be deducted from the gross amount of the bill.
- 26. The performance security will be forfeited and credited to the MANUU account in the event of a breach of contract by the contractor. However it shall be refunded to the contractor without interest after duly performs and complete all obligations.
- 27. The Security Deposit @ 2.5 percent on contract value shall be deducted and shall be refund on completion of Defect Liability Period.

c Engineering Section

-000-