



NOTICE INVITING QUOTATION

Sealed item rate quotations are invited for "Repair works in IMC Preview Theatre at MANUU Campus, Gachibowli, Hyderabad" to reach the office of the I/c Engineering Section, Room No.16 Ground floor, Admin Building MANUU Gachibowli, Hyderabad.

Notice Inviting Quotation No. 05	MANUU/ENGG/2025-26/F484/ date 09-06-2025
Type of Tender/Form of Contract/ Bidding	Open/ Works Contract/
Name of Work	For Repair works in IMC Preview Theatre at MANUU Campus, Gachibowli, Hyderabad
Estimated Amount	Rs 1,72,500/-
Earnest Money Deposit (EMD)	Rs 4,000/- (i.e. 2% of the estimated amount (DD/Bank Guarantee in favour of Finance Officer, MANUU payable at Hyderabad)
Performance Guarantee	5% of the Contract value (DD/Bank Guarantee in favour of Finance Officer, MANUU payable at Hyderabad)
Date of start of Bid Submission	9 -06-2025 @ 11:00 AM
Last date & Time for submission of Bids	23 -06-2025 @ 11:00 AM

Blank quotation form can be downloaded from the MANUU website.

I/c Engineering Section
MANUU
I/c Engineering Section
Maulana Azad National Urdu University
Gachibowli, Hyderabad-32

SCHEDULE OF QUANTITIES

Name of Work:		Repair works in IMC Preview Theatre at MANUU Campus, Gachibowli, Hyderabad			
No:		MANUU/ENGG/2024-25/F484/			
DSR No	Description of work	Qty	Unit	Rate	Amount
4.1	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level :				
4.1.10 A	1:5:10 (1 cement : 5 manufactured sand derived from Recycled Concrete Aggregate : 10 graded stone aggregate 40 mm nominal size Recycled Aggregate)	1	Cum		
4.1	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level :				
4.1.3A	1:2:4 (1 cement : 2 coarse sand (zone-III) including manufactured sand derived from Recycled Concrete Aggregate(RCA) upto 25% : 4 graded stone aggregate 20 mm nominal size including Recycled Concrete Aggregate(RCA) upto 25%	1.25	Cum		
6.47	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in : Cement mortar 1:6 (1 cement : 6 coarse sand)	0.75	Cum		
9.7/MDSR	Providing and fixing panelling or panelling and glazing in panelled or panelled and glazed shutters for doors, windows and clerestory windows (Area of opening for panel inserts excluding portion inside grooves or rebates to be measured). Panelling for panelled or panelled and glazed shutters 25 mm to 40 mm thick :				
12.35	Providing and fixing thermal insulation with Resin Bonded Fibre glass wool conforming to IS: 8183. Density 16 kg/m ³ , 50 mm thick, wrapped in 200G Virgin Polythene bags placed over existing false ceiling and held in position by criss-crossing GI wire.	40	Sqm		
13.1	12 mm cement plaster of mix :				
13.1.1	1:4 (1 cement: 4 fine sand)	20	Sqm		
13.46	Finishing walls with Acrylic Smooth exterior paint of required shade :				

DSR No	Description of work	Qty	Unit	Rate	Amount
26.24	Providing and fixing in position wall panelling at all heights with integral densified calcium silicate panels/tiles of size 595 x 595mm, having NRC (Noise Reduction coefficient) of 0.50 (minimum) as per IS 8225:1987, Light reflectance of 85% (minimum). Non combustible as per BS:476 (part-4), fire performance as per BS:476 (part 6 &7), humidity resistance of 100%, thermal conductivity <0.043 W/m K as per ASTM 518:1991, comprising of a frame made from especially fabricated galvanised mild steel sheet 0.50 mm thick pressed section (galvanizing @120 grams per sqm including both sides) i.e.vertical studs of size 48 x 34 x 36 mm are placed at 600mm center to center in a floor and ceiling channel section of size 50 x 32mm fixed to the floor and soffit at 600mm centers using 12mm dia,50mm long wedge type expanded zinc alloy dash fastner with 10mm bolt. This same channel is then to be fixed in horizontal direction at 600mm center to center so as to form a grid of 600mm x 600mm. Glasswool of 50mm thickness is then to be inserted in the slots and finally calcium silicate non combustible panels/tiles are to be screw fixed with self tapping pan head nickel coated mild steel screws of size 13 x 3.2mm on to this grid leaving an even groove of 1 mm between the panels. The joints between the panels are to be duly jointed and finished using recommended jointing calcium silicate based compound and fiber joint tape roll 50mm wide (90 metre)roll and two coats of primer suitable for panelling as per manufacturer's specification as per direction of Engineer-in-Charge all complete.				
26.24.1	With 15 mm thick fully perforated square/butt edge light weight calcium silicate panels/ tiles	35	Sqm		
9.4	Providing and fixing wooden moulded beading to door and window frames with iron screws, plugs and priming coat on unexposed surface etc. complete :				
9.40.1	2nd class teak wood				
9.40.1.1	50x12 mm	42	mtr		
13.68	French spirit polishing :				
13.68.1	Two or more coats on new works including a coat of wood filler.	15	Sqm		
15.39	Dismantling wooden boardings in lining of walls and partitions, excluding supporting members but including stacking within 50metres lead :				
15.39.1	Up to 10 mm thick	40	Sqm		

DSR No	Description of work	Qty	Unit	Rate	Amount
15.14	Dismantling wood work in frames, trusses, purlins and rafters up to 10 metres span and 5 metres height including stacking the material within 50 metres lead :				
15.14.2	Of sectional area below 40 square centimetres.	200	m		
MR	Providing, laying, and fixing 10 mm thick woven polyester carpet with sound-absorbing properties over the entire floor area and skirting, if required. The carpet shall be securely adhered using high-quality adhesive, ensuring tight adhesion to the surface. The work includes all associated costs for materials, labor, transportation, surface preparation, cleaning, and pressing	20	Sqm		
21.1	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass/ stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately) :				
21.1.1	For fixed portion				
21.1.1.1	Anodised aluminium (anodised transparent or dyed to required shade according to IS: 1868, Minimum anodic coating of grade AC 15)	25	Kg		
		Amount in Rs			
		GST			
		Total (incl GST)			
(Total amount in words)					
Sd/- I/c Engineering Section					

Details of the Contractor

S.No.	Particulars	To be filled by the Contractor
1	Name of the Firm	
2	Name of the Contractor	
3	Contractor Address	
(a)	Mobile	
(b)	E-Mail Id	
4	Name of the Bank	
5	Name of the Branch	
6	Account No.(prefix with zeros, if any as given on the cheque book/passbook)	
7	IFSC Code of the Branch	
8	MICR Code	
9	PAN No.	
10	GST No.	
11	State whether Terms & Conditions mentioned in the Quotation are accepted ? Yes/No	
12	Is EMD submitte/attached ? Yes/No	

I/we undertake and confirm that our firm/partnership firm has not been blacklisted by any state/Central Departments/PSUs/Autonomous bodies during its operations. Further, if such information comes to the notice of the University then I/we shall be liable for appropriate action as per the provisions laid down by the University or Govt. of India.


Signature of Contractor

Terms and Conditions

1. The work should be carried out strictly as per the specification and as per the directions of Engineer-in-charge.
2. Safety measures as specified in CPWD general conditions of contract should be adopted to protect the labour from every risk specifically while executing the work.
3. Before tendering, the contractor shall inspect site of work on all working days from 09:00 AM to 05:00 PM and shall fully acquaint himself about the conditions prevailing at site, availability of materials in market, availability of ready site and suitable locations for execution of the work involved in achieving the completion of work.
4. The contractor shall at his own expense and risk arrange the storage of materials at site of the work for carrying out of all jobs connected with the completion of the work. The contractor shall have to abide by the regulations of the authorities concerned and the directions of the I/c Engineering Section. If during construction, it becomes necessary to remove or shift the equipment, material, etc, to facilitate execution, the contractor shall carry out the removal of shifting as directed by the I/c Engineering Section and re-shift to its original position and no claim whatsoever, shall be entertained on this account.
5. It shall be deemed that the contractor has satisfied himself as to the nature and location of the work, transport facilities, availability of site, etc. the department will bear no responsibility for lack of such knowledge & the consequences thereof.
6. The I/c Engineering Section shall have full powers for removal of any or all of the materials brought to site by contractor which are not in accordance with the contract specifications or do not conform, in character or quality. In case of default on the part of the contractor in removing rejected materials, the I/c Engineering Section shall be at liberty to have them removed at the risk and cost of the contractor.
7. The work shall be carried out in such a manner so as not to interfere / or adversely / or disturb the functioning of the University and other works being executed by other agencies, if any.
8. Any damage done by the contractor to any existing work or work being executed by other agencies shall be made good by him at his own cost.
9. The contractor shall maintain in good condition all work executed till the completion of entire work entrusted to the contract under this contract.
10. No payment shall be made to the contractor for damage caused by rain, flood and other natural calamities whatsoever during the execution of works and any damage to the work on this account shall have to be made good by the contractor at his own cost.
11. The Contractor shall take instructions from the I/c Engineering Section regarding collections and stacking of materials at site.
12. The Contractor shall be responsible to arrange at his own cost all necessary tools and tackles required for execution of the works including incidental original and maintenance works.
13. The operating cost of contractor's machinery at site i.e. Coolants/ lubricants/ Petrol/ Kerosene Oil/ Mobile Oil/ etc, if any shall be borne by the contractor himself.
14. The University shall not be responsible for any injury partial or permanent or death of any workers at site due to accident or malfunctioning of the equipment or by negligence of the Contractors staff on site.
15. If any damage caused for public conveniences/ services, the same shall have to be repaired instant, failing which necessary recovery shall be made from the bill.
16. If any Building, Road and Channels damaged by the Contractor the same shall have to be repaired by the Contractor at his risk and cost, otherwise the complete cost will be recovered as intimated by the I/c Engineering Section.
17. The rate quoted by the contractor shall include all incidental expenses if any.

18. No extra payment what so ever shall be paid to the contractor other than the quoted price.
19. Verbal quotation or incomplete quotation will be rejected.
20. Any variation in the specification(s) during repair/servicing will be rejected.
21. Time allowed is 30 days and starts from the date of issue of Work Order. In case of delay in completion of the contract, Liquidate damages (LD) at one percent of the contract value per week of delay subject to a maximum of ten percent of contract value shall be levied.
22. The work shall be carried out to the entire satisfaction of the I/c Engineering Section.
23. Payment shall be made on submission of Invoice after satisfactory execution of the work and as per actual measurements
24. The tax as applicable shall be deducted from the gross amount of the bill.
25. The performance security will be forfeited and credited to the MANUU account in the event of a breach of contract by the contractor. However it shall be refunded to the contractor without interest after duly performs and complete all obligations.
26. The Security Deposit @ 2.5 percent on contract value shall be deducted and shall be refund on completion of Defect Liability Period.

-000-


I/c Engineering Section
I/c Engineering Section
Maulana Azad National Urdu University
Gachibowli, Hyderabad-32