



## NOTICE INVITING QUOTATION

Sealed item rate quotations are invited for “Replacement of Damaged C.I Sewer pipe line in Boys Hostel-I in MANUU Campus,Gachibowli, Hyderabad” to reach the office of the I/c Engineering Section, Room No.16 Ground floor, Admin Building MANUU Gachibowli, Hyderabad.

Notice Inviting Quotation No. 07	MANUU/ENGG/2025-26/F403/ date 30 -06-2025
Type of Tender/Form of Contract/ Bidding	Open/ Works Contract/
Name of Work	For Replacement of Damaged C.I Sewer pipe line in Boys Hostel-I & III in MANUU Campus,Gachibowli, Hyderabad
Estimated Amount	Rs 2,15,000/-
Earnest Money Deposit (EMD)	Rs 4,300/- ( i.e. 2% of the estimated amount (DD/Bank Guarantee in favour of Finance Officer, MANUU payable at Hyderabad)
Performance Guarantee	5% of the Contract value (DD/Bank Guarantee in favour of Finance Officer, MANUU payable at Hyderabad)
Date of start of Bid Submission	30-06-2025 @ 11:00 AM
Last date & Time for submission of Bids	21-07-2025 @ 11:00 AM

Blank quotation form can be downloaded from the MANUU website.

*[Signature]*  
20/08/25  
I/c Engineering Section  
MANUU

SCHEDULE OF QUANTITIES

Name of Work:		Replacement of Damaged C.I Sewer pipe line in Boys Hostel-I in MANUU Campus,Gachibowli, Hyderabad			
No:		MANUU/ENGG/2024-25/F403/			
DSR No	Description of work	Qty	Unit	Rate	Amount
2.10	Excavating trenches of required width for pipes, cables, etc including excavation for sockets, and dressing of sides, ramming of bottoms, depth up to 1.5 m, including getting out the excavated soil, and then returning the soil as required, in layers not exceeding 20 cm in depth, including consolidating each deposited layer by ramming, watering, etc. and disposing of surplus excavated soil as directed, within a lead of 50 m :				
2.10.1	All kinds of soil				
2.10.1.3	Pipes, cables etc. exceeding 80 mm dia but not exceeding 300 mm.	40	metre		
12.38	Providing and fixing M.S. holder bat clamps of approved design to C.I. or S.C.I. rain water pipes embedded in and including cement concrete blocks 10x10x10 cm of 1:2:4 mix (1 cement : 2 coarse sand : 4 gradedstone aggregate 20 mm nominal size) and cost of cutting holes and making good the walls etc. :				
12.38.1	100 mm diameter	15	Nos		
12.38.2	150 mm diameter	15	Nos		
15.42	Dismantling C.I. or asbestos rain water pipe with fittings and clamps including stacking the material within 50 metres lead :				
15.42.1	75 to 80 mm dia pipe.	40	metre		
15.42.2	100 mm dia pipe	40	metre		
5	Constructing brick masonry manhole in cement mortar 1:4 ( 1 cement : 4 coarse sand ) with R.C.C. top slab with 1:1.5:3 mix (1 cement : 1.5 coarse sand (zone-III) : 3 graded stone aggregate 20 mm nominal size), foundation concrete 1:4:8 mix (1 cement : 4 coarse sand (Zone-III) : 8 graded stone aggregate 40 mm nominal size), inside plastering 12 mm thick with cement mortar 1:3 (1 cement : 3 coarse sand) finished with floating coat of neat cement and making channels in cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) finished with a floating coat of neat cement complete as per standard design :				
	Inside size 90x80 cm and 45 cm deep including C.I. cover with frame (light duty) 455x610 mm internal dimensions, total weight of cover and frame to be not less than 38 kg (weight of cover 23 kg and weight of frame 15 kg) : With common burnt clay F.P.S. (non modular) bricks of class designation 7.5	Each	3		



DSR No	Description of work	Qty	Unit	Rate	Amount
19.6	Providing and laying non-pressure NP2 class (light duty) R.C.C. pipes with collars jointed with stiff mixture of cement mortar in the proportion of 1:2 (1 cement : 2 fine sand) including testing of joints etc. complete :				
19.6.4	300 mm dia. R.C.C. pipe	40	metre		
3	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:5:10 (1 cement : 5 manufactured sand derived from Recycle Coarse Aggregate (RCA): 10 graded stone aggregate 40 mm nominal size Recycled aggregate)	3	Cum		
15.2	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge.				
15.2.1	Nominal concrete 1:3:6 or richer mix (i/c equivalent design mix)	Cum	2		
NSR-1	Providing and fixing at all floors Type-B SWR PVC pipes including all fittings such as plain and door bends,tees,elbows,equal and unequal junctions,heel rest sanitary bends,collars etc.(except floor traps/p traps) confirming to IS 13592,IS 14735 including jointing with solvent and providing necessary supports,clamps/MS brackets at special jointing in exposed areas like in shafts etc. and pasted type(solvent) for all other locations all complete and as per the directions of Engineer-in-charge. MS brackets shall ve paid separately				
NSR-1.1	110mm diameter	40	metre		
NSR-1.2	75mm diameter	40	metre		
NSR -2	Providing and fixing flexible socket coupling for cast iron to PVC pipe				
NSR-2.1	110mm diameter	6	Nos		
NSR-2.2	75mm diameter	6	Nos		
	Amount in Rs				
	GST				
	Total ( incl GST)				
(Total amount in words) .....					
Sd/- I/c Engineering Section					

Signature of Contractor

Details of the Contractor

S.No.	Particulars	To be filled by the Contractor
1	Name of the Firm	
2	Name of the Contractor	
3	Contractor Address	
(a)	Mobile	
(b)	E-Mail Id	
4	Name of the Bank	
5	Name of the Branch	
6	Account No.(prefix with zeros, if any as given on the cheque book/passbook)	
7	IFSC Code of the Branch	
8	MICR Code	
9	PAN No.	
10	GST No.	
11	State whether Terms & Conditions mentioned in the Quotation are accepted ? Yes/No	
12	Is EMD submitte/attached ? Yes/No	

I/we undertake and confirm that our firm/partnership firm has not been blacklisted by any state/Central Departments/PSUs/Autonomous bodies during its operations. Further, if such information comes to the notice of the University then I/we shall be liable for appropriate action as per the provisions laid down by the University or Govt. of India.


Signature of Contractor



## Terms and Conditions

1. The work should be carried out strictly as per the specification and as per the directions of Engineer-in-charge.
2. Safety measures as specified in CPWD general conditions of contract should be adopted to protect the labour from every risk specifically while executing the work.
3. Before tendering, the contractor shall inspect site of work on all working days from 09:00 AM to 05:00 PM and shall fully acquaint himself about the conditions prevailing at site, availability of materials in market, availability of ready site and suitable locations for execution of the work involved in achieving the completion of work.
4. The contractor shall at his own expense and risk arrange the storage of materials at site of the work for carrying out of all jobs connected with the completion of the work. The contractor shall have to abide by the regulations of the authorities concerned and the directions of the I/c Engineering Section. If during construction, it becomes necessary to remove or shift the equipment, material, etc, to facilitate execution, the contractor shall carry out the removal of shifting as directed by the I/c Engineering Section and re-shift to its original position and no claim whatsoever, shall be entertained on this account.
5. It shall be deemed that the contractor has satisfied himself as to the nature and location of the work, transport facilities, availability of site, etc. the department will bear no responsibility for lack of such knowledge & the consequences thereof.
6. The I/c Engineering Section shall have full powers for removal of any or all of the materials brought to site by contractor which are not in accordance with the contract specifications or do not conform, in character or quality. In case of default on the part of the contractor in removing rejected materials, the I/c Engineering Section shall be at liberty to have them removed at the risk and cost of the contractor.
7. The work shall be carried out in such a manner so as not to interfere / or adversely / or disturb the functioning of the University and other works being executed by other agencies, if any.
8. Any damage done by the contractor to any existing work or work being executed by other agencies shall be made good by him at his own cost.
9. The contractor shall maintain in good condition all work executed till the completion of entire work entrusted to the contract under this contract.
10. No payment shall be made to the contractor for damage caused by rain, flood and other natural calamities whatsoever during the execution of works and any damage to the work on this account shall have to be made good by the contractor at his own cost.
11. The Contractor shall take instructions from the I/c Engineering Section regarding collections and stacking of materials at site.
12. The Contractor shall be responsible to arrange at his own cost all necessary tools and tackles required for execution of the works including incidental original and maintenance works.
13. The operating cost of contractor's machinery at site i.e. Coolants/ lubricants/ Petrol/ Kerosene Oil/ Mobile Oil/ etc, if any shall be borne by the contractor himself.
14. The University shall not be responsible for any injury partial or permanent or death of any workers at site due to accident or malfunctioning of the equipment or by negligence of the Contractors staff on site.
15. If any damage caused for public conveniences/ services, the same shall have to be repaired instant, failing which necessary recovery shall be made from the bill.
16. If any Building, Road and Channels damaged by the Contractor the same shall have to be repaired by the Contractor at his risk and cost, otherwise the complete cost will be recovered as intimated by the I/c Engineering Section.
17. The rate quoted by the contractor shall include all incidental expenses if any.

18. No extra payment what so ever shall be paid to the contractor other than the quoted price.
19. Verbal quotation or incomplete quotation will be rejected.
20. Any variation in the specification(s) during repair/servicing will be rejected.
21. Time allowed is 21 days and starts from the date of issue of Work Order. In case of delay in completion of the contract, Liquidate damages (LD) at one percent of the contract value per week of delay subject to a maximum of ten percent of contract value shall be levied.
22. The work shall be carried out to the entire satisfaction of the I/c Engineering Section.
23. Payment shall be made on submission of Invoice after satisfactory execution of the work and as per actual measurements
24. The tax as applicable shall be deducted from the gross amount of the bill.
25. The performance security will be forfeited and credited to the MANUU account in the event of a breach of contract by the contractor. However it shall be refunded to the contractor without interest after duly performs and complete all obligations.
26. The Security Deposit @ 2.5 percent on contract value shall be deducted and shall be refund on completion of Defect Liability Period.

  
30/06/25  
I/c Engineering Section

-000-